

10/784,632 EAST

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	381	((514/266.4) or (544/292)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/12/05 18:00
L2	112	L1 and (pyrrolidin or pyrrolidinyl or pyrrolidyl)	US-PGPUB; USPAT	OR	OFF	2005/12/05 18:00

10/ 784,632

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal202txn

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2		"Ask CAS" for self-help around the clock
NEWS	3	SEP 09	ACD predicted properties enhanced in REGISTRY/ZREGISTRY
NEWS	4	OCT 03	MATHDI removed from STN
NEWS	5	OCT 04	CA/Caplus-Canadian Intellectual Property Office (CIPO) added to core patent offices
NEWS	6	OCT 13	New CAS Information Use Policies Effective October 17, 2005
NEWS	7	OCT 17	STN(R) AnaVist(TM), Version 1.01, allows the export/download of Caplus documents for use in third-party analysis and visualization tools
NEWS	8	OCT 27	Free KWIC format extended in full-text databases
NEWS	9	OCT 27	DIOGENES content streamlined
NEWS	10	OCT 27	EPFULL enhanced with additional content
NEWS	11	NOV 14	CA/Caplus - Expanded coverage of German academic research
NEWS	12	NOV 30	REGISTRY/ZREGISTRY on STN(R) enhanced with experimental spectral property data
NEWS	13	DEC 05	CASREACT(R) - Over 10 million reactions available
NEWS EXPRESS			DECEMBER 02 CURRENT VERSION FOR WINDOWS IS V8.01, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 02 DECEMBER 2005. V8.0 USERS CAN OBTAIN THE UPGRADE TO V8.01 AT http://download.cas.org/express/v8.0-Discover/
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS INTER			General Internet Information
NEWS LOGIN			Welcome Banner and News Items
NEWS PHONE			Direct Dial and Telecommunication Network Access to STN
NEWS WWW			CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 17:56:46 ON 05 DEC 2005

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

10/ 784,632

	ENTRY	SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 17:56:53 ON 05 DEC 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 4 DEC 2005 HIGHEST RN 869277-23-6
DICTIONARY FILE UPDATES: 4 DEC 2005 HIGHEST RN 869277-23-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*


Structure search iteration limits have been increased. See HELP SLIMITS
for details.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10784632.str



chain nodes :

11 12 19 21

ring nodes :

1 2 3 4 5 6 7 8 9 10 13 14 15 16 17 18 20 22 23 24 25

chain bonds :

10/ 784,632

2-19 7-11 11-12 12-13 19-20 19-21

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 8-9 9-10 13-14 13-18 14-15 15-16
16-17 17-18 20-22 20-25 22-23 23-24 24-25

exact/norm bonds :

7-11 11-12 19-20 19-21 20-22 20-25

exact bonds :

2-19 12-13 22-23 23-24 24-25

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 8-9 9-10 13-14 13-18 14-15 15-16
16-17 17-18

isolated ring systems :

containing 1 : 13 : 20 :

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:CLASS 12:CLASS 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:CLASS
20:Atom 21:CLASS 22:Atom 23:Atom 24:Atom 25:Atom

L1 STRUCTURE UPLOADED

=> d 11

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s 11 sample

SAMPLE SEARCH INITIATED 17:57:12 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 20 TO ITERATE

100.0% PROCESSED 20 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**

PROJECTED ITERATIONS: 132 TO 668

PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

10/ 784,632

=> s l1 full

FULL SEARCH INITIATED 17:57:20 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 368 TO ITERATE

100.0% PROCESSED 368 ITERATIONS

9 ANSWERS

SEARCH TIME: 00.00.01

L3 9 SEA SSS FUL L1

=> file hcaplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

161.33

161.54

FILE 'HCAPLUS' ENTERED AT 17:57:28 ON 05 DEC 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 5 Dec 2005 VOL 143 ISS 24

FILE LAST UPDATED: 4 Dec 2005 (20051204/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d his

(FILE 'HOME' ENTERED AT 17:56:46 ON 05 DEC 2005)

FILE 'REGISTRY' ENTERED AT 17:56:53 ON 05 DEC 2005

L1 STRUCTURE UPLOADED

L2 0 S L1 SAMPLE

L3 9 S L1 FULL

FILE 'HCAPLUS' ENTERED AT 17:57:28 ON 05 DEC 2005

=> s l3

L4 1 L3

=> d l4 1- ibib abs hitstr


YOU HAVE REQUESTED DATA FROM 1 ANSWERS - CONTINUE? Y/(N):y

L4 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2005 ACS on STN
 ACCESSION NUMBER: 2004:773748 HCAPLUS
 DOCUMENT NUMBER: 141:277636
 TITLE: Preparation of aminoquinolines and related heterocycles as factor Xa inhibitors
 INVENTOR(S): Ries, Uwe; Nar, Herbert; Wienen, Wolfgang; Dahmann, Georg; Gerlach, Kai; Pfau, Roland; Priepke, Henning
 PATENT ASSIGNEE(S): Boehringer Ingelheim Pharma G.m.b.H. & Co. K.-G., Germany
 SOURCE: Ger. Offen., 57 pp.
 CODEN: GWXKXK
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 10310278	A1	20040923	DE 2003-10310278	20030310
US 2005107409	A1	20050519	US 2004-784632	20040223
WO 2004080970	A1	20040923	WO 2004-EP2282	20040305


W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
 RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

PRIORITY APPL. INFO.: DE 2003-10310278 A 20030310
 US 2003-462487P P 20030411
 OTHER SOURCE(S): MARPAT 141:277636
 GI




AB Title compds. I [X, Z = N, CH; Y = (un)substituted CH, N; R1 = (un)substituted NH2, H2NCO, etc; R2 = H, F, Cl, Br, alkyl, fluoroalkyl, alkenyl, OH, alkoxy, OCF3; R3 = H, (un)substituted alkyl; Ar =

L4 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2005 ACS on STN (Continued)
 RN 758710-62-2 HCAPLUS
 CN 1H-Pyrrole, 1-[[4-[[[5-(aminomethyl)-2-(phenylmethoxy)phenyl]methyl]amino]-7-quinazolinyl]carbonyl]-2,5-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 758711-20-5 HCAPLUS
 CN 1H-Pyrrole, 1-[[4-[[[5-(aminomethyl)-2-(phenylmethoxy)phenyl]methyl]amino]-6-chloro-7-quinazolinyl]carbonyl]-2,5-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)




IT 758710-47-3P
 RL: RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
 (preparation of aminoquinolines and related heterocycles as factor Xa inhibitors)
 RN 758710-47-3 HCAPLUS
 CN 1H-Pyrrole, 1-[[4-[[[3-(aminomethyl)phenyl]methyl]amino]-7-quinazolinyl]carbonyl]-2,5-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2005 ACS on STN (Continued)
 (un)substituted Ph) were prepd. for use as inhibitors of factor Xa and related serine proteinases (no data) and antithrombotics. Thus, the quinoline II was prepd. from 3-aminomethyl-4-benzoyloxybenzonitrile, obtained from 5-bromosalicylaldehyde in 4 steps, and 4-chloro-7-(1-pyrrolidinylcarbonyl)quinoline, obtained from 4-chloro-7-trifluoromethylquinoline.
 IT 758711-08-9 758711-19-2
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of aminoquinolines and related heterocycles as factor Xa inhibitors)
 RN 758711-08-9 HCAPLUS
 CN 1H-Pyrrole, 1-[[4-[[[3-(cyanophenyl)methyl]amino]-7-quinazolinyl]carbonyl]-2,5-dihydro- (9CI) (CA INDEX NAME)




RN 758711-19-2 HCAPLUS
 CN 1H-Pyrrole, 1-[[6-chloro-4-[[[5-cyano-2-(phenylmethoxy)phenyl]methyl]amino]-7-quinazolinyl]carbonyl]-2,5-dihydro- (9CI) (CA INDEX NAME)




IT 758710-62-2P 758711-20-5P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation of aminoquinolines and related heterocycles as factor Xa inhibitors)

L4 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2005 ACS on STN (Continued)



● HCl

IT 758710-07-5P 758710-54-2P
 RL: SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (preparation of aminoquinolines and related heterocycles as factor Xa inhibitors)
 RN 758710-07-5 HCAPLUS
 CN 1H-Pyrrole, 1-[[4-[[[5-(aminomethyl)-2-(phenylmethoxy)phenyl]methyl]amino]-7-quinazolinyl]carbonyl]-2,5-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 758710-54-2 HCAPLUS
 CN 1H-Pyrrole, 1-[[4-[[[3-(aminomethyl)phenyl]methyl]amino]-7-quinazolinyl]carbonyl]-2,5-dihydro- (9CI) (CA INDEX NAME)

10/ 784,632

L4 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2005 ACS on STN (Continued)

